



# **ANGLE HOSE VALVE**



21/2" FNPT x FNPT 11/2" FNPT x FNPT HC-102(DWG.J281)

ANGLE HOSE VALVE

300lb. RATED

Used with a Fire Hose Rack Assembly Or as a Fire Dept. outlet connection

DOUBLE FEMALE

Standard equipment:

Female NPT inlet and outlet forge brass valve

Outlet cast brass valve


Red hand wheel.

Optional Finishes:

PB-Polished Brass

RC-Rough Chrome Plated

PC-Polished Chrome Plated



	Α	В	С	D	E
1/2" x 2/2"	3.94	1.97	2.60	4.70	5.71
2½" x 2½"	4.92	2.68	3.27	6.18	7.87

NO	DESCRIPTION	MATERIALS	NO	DESCRIPTION	MATERIALS
1	BODY	ASTM B283 C37700	9	BONNET	ASTM B283 C37700
2	WHEEL NUT	ASTM B283 C37700	10	STEM	ASTM B283 C37700
3	WASHER	SS304	11	LOCKNUT	ASTM B283 C37700
4	SEAT SEAL	NBR	12	ORING	NBR
5	HOLDER	ASTM B283 C37700	13	HANDLE WHEEL	DUCTILE IRON
6	SETSCREW	SS304	14	WHEELWASHER	SS304
7	LOCK NUT	ASTM B283 C37700	15	WHEELNUT	ASTM B283 C37700
8	ORING	NBR			

# CERTIFICATE OF COMPLIANCE

20140110-EX16364 **Certificate Number** EX16364-20140108 Report Reference 2014-JANUARY-10 **Issue Date** 

> NINGBO HUACHENG VALVE CO LTD Issued to:

> > CHENGGUAN NINGHAI

NINGBO, ZHEJIANG 315600 CHINA

**HOSE VALVES** This is to certify that

representative samples of Angle type, model J281

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

UL 668, Standard for Hose Valves for Fire Protection Standard(s) for Safety:

Service:

ULC/ORD C668, Guide for the Investigation of Hose Valves

for Fire-Protection Service

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: "US" the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

North American Certification Pro-

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="https://www.ul.com/contactus">www.ul.com/contactus</a>





# Certificate of Compliance

This certificate is issued for the following:

Angle Hose Valves

Model J281 in sizes 1-1/2 and 2-1/2 inch NPS

Prepared for:

Manufactured at:

Ningbo Huacheng Valve Co. Ltd.

Ningbo Huacheng Valve Co. Ltd. Chengguan, Ninghai, Ningbo Zhejiang 315600 China

> Chengguan, Ninghai, Ningbo Zhejiang 315600 China

FM Approvals Class: 1521

Approval Identification: 0003049539 Approval G

Approval Granted: December 13, 2013

To verify the availability of the Approved product, please refer to www.approvalguide.com

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

Ling 1 B. den.

Richard B. Dunne

Group Manager - Fire Protection

FM Approvals

1151 Boston-Providence Turnpike

Norwood, MA 02062

Member of the FM Global Group



# **Hose Valves**

### **COMPANY**

### NINGBO HUACHENG VALVE CO LTD

No 103 Chezhan East Rd Huangtan Town Ninghai, Zhejiang 315600 China

EX16364

Trademark and/or Tradename:



Note: For additional marking information, refer to the **Guide Information Page**.

View model for additional information

Angle Type - 90°, Model(s): J281

Last Updated on 2024-05-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."



Valves | Angle Hose Valves | Hose Valves, Angle

# Models J281, J282-121

## **Product Description**

	Description	Valv	Valve Size		Rated Working Pressure	
Model No		in	(mm)	psi	(kPa)	
J281	Standard Hose Valve Female NPT x Male NH, Female NPT x Female NPT, Female NPS x Female NPS	1 1/2	(38)	300	(2065)	
J281	Standard Hose Valve Female NPT x Male NH Female NPT x Female NPT Female NPS x Female NPS Female NPT x Male NYC Thread Groove x Male NH Groove x Male NYC Thread	2 1/2	(64)	300	(2065)	
J282-121	Pressure Restricting Hose Valve Female NPT x Male NH Female NPT x Female NPT	1 1/2	(38)	175	(1205)	
J282-121	Pressure Restricting Hose Valve  Female NPT x Male NH  Female NPT x Female NPT	1 1/2	(38)	300	(2065)	
J282-221	Pressure Restricting Hose Valve  Female NPT x Male NH  Female NPT x Female NPT  Rc x M78x2	2 1/2	(64)	175	(1205)	
J282-221	Pressure Restricting Hose Valve  Female NPT x Male NH  Female NPT x Female NPT  Rc x M78x2	2 1/2	(64)	300	(2065)	

# **Details**

Category	Hose Valves, Angle
Class of Work	1521 - Angle Hose Valves

# **Company**

Ningbo Huacheng Valve Co. Ltd. No 103 East Chezhan Rd, Huangtan Town, Ninghai, Ningbo City, Zhejiang 315600 China http://huachengvalve.com



Approval Standard	FM 1521, 1522 - Angle and Straightaway Hose Valves
Certification Type	FM Approved
Listing Country	China